Ficha Tecnica Areinz Field

Stadium Timeline		
June 18, 1999	Groundbreaking	
July 1999	Foundation construction begins	
January 2000	Steel construction begins	
October 2000	Steel "topped out"	
May 2001	Turf installed	
June 2001	Heinz gets naming rights	
August 25, 2001	Stadium opening	
October 7, 2001	Steelers Home Opener vs. Cincinnati Bengals	

General Information/Facts		
Owner:	Sports & Exhibition Authority of Pittsburgh and Allegheny County	
Developer:	Pittsburgh Steelers	
Events:	Pittsburgh Steelers Football University of Pittsburgh Football Concerts Public Assembly	
Architect:	HOK Sports	
Construction Manager:	Hunt Construction Group/Mascaro (A Joint Venture)	
Seating Capacity:	65,050 seats	
Club Seating:	7,300(approx.)	
Luxury Suites:	1,544 (129 suites)	
Building Square Footage:	1.49 million sq. ft. (approx.)	
Design Features:	South End Plaza Great Hall - retail/entertainment area Horseshoe shaped stadium with south end open and on axis with Point State Park	
Number of Club Lounges:	One on each end of the east and west sidelines, as well as North end zone. The sideline ones are each designed as a three story atrium space with a large bar, beverage kiosks, specialty food stands and a video wall. Opportunities exist to convert the lounge into banquet space for large or small gatherings.	





ofiche of senien on

Restroom Facilities

Restroom acilities (Including Club):

24 women's, 24 men's and 8 family. Fixtures include 487 lavatories, 835 water closets and 204 urinals.

Concessions

Concession 47 concession locations Stands:

7 team stores **Retail Stores:**

15 novelty locations **Novelty Stands:**

Locker Rooms

6,000 square feet (60 lockers) Steelers:

4,600 square feet (95 lockers) Panthers:

Visiting NFL 2,600 square feet (60 lockers) Lockers:

Visiting College 2,600 square feet (60 lockers) Lockers:

Vertical Tranportation

7 passenger elevators **Elevators:** 2 freight elevators

Escalators:

Pedestrian Ramps:

Minimum 1 on each level First Aid

Audio/Video

400 televisions linked to main scoreboard to automatically display special notifications about the **Television Sets:** game in progress.

Video Walls:

Scoreboard

48 feet x 27 feet minimum 96 feet x 27 feet expansion capability Video Display:





"Ficha Tecnica Heinz Field"

Playing Field		
Natural Grass Playing Surface:	2.04 acres (excluding warning track)	
Sideline to First Row Spectator:	60 feet	
End Zone to First Row Spectator:	25 feet	

Construction Details		
Cast in Place Concrete:	48,000 cubic yards	
Amount of Structural Steel:	12,000 tons	
Augercast Piles:	10,442 lineal feet	
Paint:	30,000 gallons (provided by PPG Industries)	
Glass:	50,000 square feet (provided by PPG Industries)	
Number of Doors:	1100	
Miles of Railings:	7 miles	
Drainage, Irrigation and Heating Pipes Under the Field:	1.85 miles	

Coordinates	
Coordinates:	40°26'48"N 80°0'57"W40.44667°N 80.01583°W Coordinates: 40°26'48"N 80°0'57"W40.44667°N 80.01583°W

Construction	
Cost:	\$ 281 millions US

From Wikipedia, the free encyclopedia



